

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

**EP 1 115 450 B1**

(12)

**EUROPEAN PATENT SPECIFICATION**

(45) Date of publication and mention  
of the grant of the patent:

**17.11.2004 Bulletin 2004/47**

(51) Int Cl.7: **A61M 25/01**

(86) International application number:

**PCT/DK1999/000501**

(21) Application number: **99944281.7**

(87) International publication number:

(22) Date of filing: **23.09.1999**

**WO 2000/016843 (30.03.2000 Gazette 2000/13)**

(54) **CATHETER SET**

**KATHETERSET**

**ENSEMBLE A CATHETER**

(84) Designated Contracting States:

**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU  
MC NL PT SE**

(72) Inventors:

- **HANSEN, Henrik, Christian**  
**DK-2990 Nivaa (DK)**
- **TANGHOEJ, Allan**  
**DK-2980 Kokkedal (DK)**
- **HORSBOEL, Niels**  
**DK-6710 Esbjerg V (DK)**

(30) Priority: **23.09.1998 DK 119698**

(43) Date of publication of application:

**18.07.2001 Bulletin 2001/29**

(56) References cited:

(73) Proprietor: **COLOPLAST A/S**  
**3050 Humlebaek (DK)**

**WO-A1-97/26937**

**WO-A1-98/11932**

**GB-A- 2 033 231**

**GB-A- 2 284 764**

**US-A- 2 856 932**

**US-A- 5 147 341**

Note: Within nine months from the publication of the mention of the grant of the European patent, any person may give notice to the European Patent Office of opposition to the European patent granted. Notice of opposition shall be filed in a written reasoned statement. It shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

**EP 1 115 450 B1**

## Description

### FIELD OF THE INVENTION

[0001] The present invention relates to a catheter set comprising a catheter and a package for both storing of the catheter before use and for collecting or discharging urine.

### BACKGROUND OF THE INVENTION

[0002] Urinary catheter sets comprising a catheter having a hydrophilic coating, a wetting receptacle and a wetting fluid are disclosed in WO publication No. 98/11932 (Coloplast A/S) and in WO publication no. 97/26937 (Astra Aktiebolag).

[0003] Both publications describe catheter sets comprising both a catheter and a package, and in both publications an elongated part of the package forms a tube and is used for leading urine either to the inside of the package for later disposal or to an exterior container e. g. a toilet bowl for immediate disposal.

[0004] The use of such catheter sets is described by referring to figure 1 of WO 97/26937. First the proximal portion of the pocket 2 is torn off and the elongate shaft 18 of the catheter 3 is manoeuvred through the opening in the proximal end of the pocket 2 and into the urethra of the patient until a flared distal portion 16 forms a mechanical seal connection with the opening. Urine in the bladder of the patient is transported through the lumen of the catheter 3 into the urine collection chamber 12. After emptying the bladder the catheter 3 is manoeuvred back inside the bag 1 and the open end of the pocket 2 closed off for example by tying a knot with the material defining the pocket 2 or clamping the pocket with a clamp.

[0005] A disadvantage with these catheter sets is that the mechanical seal connection between the flared distal portion of the catheter and the proximal part of the package does not always work properly and the result is that urine flows backward and out of the package, especially due to restriction of the flow from the catheter into the receptacle due to folding, twisting or kinking of the elongate part of the device leading from the catheter to the receptacle..

[0006] GB 2031735 discloses a catheter set comprising a catheter within a package for collecting urine. So does GB 2284764, GB 2033231 and US 5147341. The rearward end of these catheters are either flared outwardly or provided with an arresting member to keep the catheter from leaving the package unintendedly. Non of these references provides an elongated part of the package to serve as a wetting receptacle for wetting the catheter.

[0007] US 2856932 discloses a catheter set comprising a catheter and a package having an elongated part covering part of the catheter to assist insertion of the catheter in a non-contaminating manner. At the rear-

ward end of the catheter it is flared outwardly to keep the catheter in place in relation to the package during use. This shape of entrance into the package provides the same disadvantages and risks of flow restriction as mentioned above due to possible occurrence of twisting or kinking at the link between the elongated and the broader part of the package. Furthermore a considerable length of the catheter is "inactivated" by not being able to leave the elongated neck and such extra length would have to be added to the catheter in addition to the necessary "active length" causing considerable extra costs. For short catheters this extra length constitutes a considerable part of the total length of the catheter.

[0008] The object of the invention is to solve this problem and provide a catheter set preventing the risk of spilling urine over clothes or surroundings when performing intermittent catheterisation, especially when performed by the patient him-/herself, and at the same time to provide a catheter set which is simple and inexpensive to produce. It has surprisingly been found that the above drawbacks may be overcome using a catheter set according to the invention.

### BRIEF DESCRIPTION OF THE INVENTION

[0009] The present invention relates to a catheter set as defined in claim 1 comprising a catheter and a package for both storing of the catheter before use and for collecting or discharging urine. The shape of the catheter combined with the shape of the package prevents blocking of the free flow of urine from the urethra into the package during use by securing the relatively soft and pliable package from kinking or squeezing.

### BRIEF DESCRIPTION OF THE DRAWINGS

[0010] The invention will be explained more in detail with reference to the accompanying drawings showing embodiments of the invention and in

Fig. 1 shows an embodiment of a catheter set according to the invention,

Fig. 2 shows the embodiment of Fig. 1 ready for use,

Fig. 3 shows another embodiment of a catheter set according to the invention,

Fig. 4 shows a sealing device at the exterior side of the package, according to the invention in an enlarged scale, and

Fig. 5 shows the embodiment of Fig. 3 in a sealed state.

### DETAILED DESCRIPTION OF THE INVENTION

[0011] The present invention relates to a catheter set comprising a catheter and a package for storing of the catheter before use and for collecting or discharging urine, wherein the package defines an elongated, narrow part forming a tube for accommodating a proximal

part of the catheter, and a broader container part. The catheter comprises a proximal part to be inserted into the urethra and a sealing part for providing a seal between the catheter and the elongated part of the package during use. The catheter furthermore comprises a distal part in the form of a tubular section having an inner diameter at least as large as the inner diameter of the part of the proximal part of the catheter, and a sealing part separating the proximal part of the catheter and the tubular distal part. The length of the tubular distal part is at least as long as the length of the elongated, narrow part of the package, whereby in use the tubular distal part is present in the elongated, narrow part of the package.

The sealing part may e.g. be a part of the catheter having an increased diameter. Such a sealing part will also function as a stop preventing the catheter from falling out of the package and, at the same time function as a seal during use preventing spilling of urine during catheterisation.

[0012] The proximal part of the catheter will usually have an essentially uniform thickness of material as will the distal part. It is very practical when the sealing part is separating the proximal part of the catheter and the tubular distal part as this provides safety against trying to insert the tubular part into the urethra and also ensures that the tubular part remains in the package for ensuring the free flow of urine into the package.

[0013] When in use, the distal tubular part of the catheter of the invention reaches into the upper part of the package and keeps the front and rear parts thereof apart and thus prevents a blocking of the free flow of urine from the urethra into the package. Thus the length of the tubular distal part of the catheter is at least as long as the length of the elongated part of the package. In the absence of the tubular part, urine flowing through the catheter may meet an obstacle if for example the package is folded or squeezed and thus, the urine will fill up the upper part of the package and establish a back pressure on the sealing between the catheter and the package. When a tubular part of the catheter is inside the package as an extension of the catheter it thus prevents the flow of urine from being disturbed in the upper part of the relatively soft package, and the flow of urine will be directed downwards until the package is full. The inner diameter of the tubular part of the catheter must be of at least of the same dimension as the proximal part of the in order not to hamper the free flow of urine from the bladder through the catheter and into the package. Thus the shape of the catheter in combination with the shape of the package prevents a blocking of the free flow of urine from urethra into the package.

[0014] The tubular part of the catheter may be a prolonged part of the catheter itself or a separate tubular piece which is connected to the catheter.

[0015] In a preferred embodiment of the invention the proximal part of the catheter has a hydrophilic coating. A hydrophilic coating may be any hydrophilic coating

known per se for use for hydrophilic coated catheters and the coating may be applied using any method known per se for applying a hydrophilic coating to a catheter.

5 [0016] The catheter set according to the invention preferably comprises a wetting fluid integrated into the package in order to enable activation of a hydrophilic coating irrespective of the access to pure water. The wetting fluid may be sterilised water or saline.

10 [0017] The elongated shape of part of the package is especially useful when the catheter has a hydrophilic coating of the type needing activation by addition of wetting fluid. When the elongated part of the package accommodates the catheter - at least during the wetting process, but preferably already when package is produced and packed ready for sale - the amount of wetting fluid needed to ensure proper wetting is drastically reduced compared to the amount needed if wetting was to take place in the wider part of a package.

15 [0018] It is understood that the location of the catheter in the elongated part can take place already when the package is produced. But also the package can be produced with the catheter situated inside the broader part of the package in which situation the catheter is introduced into the elongated part of the package at any time prior to use to let the elongated part of the package accommodate the catheter.

20 [0019] In one embodiment of the invention the tubular distal part of the catheter has an inner diameter larger than the inner diameter of the proximal part of the catheter. Thus, no extra resistance against the flow will occur and, as the outer diameter thereof is consequently also greater, the transition between the two parts of the catheter may function as a stop and sealing.

25 [0020] The tubular part of a catheter is preferably made from an extrudable, mouldable material such as a polyolefin such as polyethylene (PE) or polypropylene (PP) or a copolymer of polyethylene such as ethylene vinyl acetate (EVA) or polyvinyl chloride (PVC) or polyvinylidene chloride or a polyurethane (PU) or a silicone. It is envisaged that the proximal and distal tubular part of the catheter and the sealing part may be produced as an integrated unit from the same material by a combination of injection moulding, extrusion and/or blowing.

30 [0021] It is preferred when the tubular distal part of the catheter is transversely corrugated as this adds to the security against kinking. A suitable flexible and transversely corrugated tube is known per se for preventing blocking by bending of the tube leading to urine collection bags.

35 [0022] In accordance with the catheter set of the invention the package includes an elongated narrow part designed for accommodating the catheter at least during wetting of the catheter and for the exit of the catheter during use.

40 [0023] In an embodiment the tubular part of the catheter may e.g. be in the form of a telescopically extendible tube having a maximum diameter greater than the prox-

imal part of the catheter. Alternatively the tubular part may be in the form of an extendible corrugated tubing resembling a corrugated straw which may be folded, compressed or stretched like an accordion. This embodiment can advantageously be used when the urine is led directly to an exterior container e.g. a toilet bowl.

[0024] The package also includes a broader container part for collecting the urine.

[0025] In accordance with yet another preferred embodiment of the invention the package is provided with one or more sealing devices on the exterior side of the package designed for holding and sealing the elongated end of the package after use. When using the package for collecting urine, it is possible to tie a knot on the elongated part after pushing the catheter into the package but this still leaves a small amount of urine in the outer part of the package which may be spilled onto the clothes which will be embarrassing for the user.

[0026] The sealing device is preferably in the form of an adhesive sheet adhered to the package. The sheet may typically comprise a sheet of a relatively soft and pliable material having an adhesive on the surface facing the outer side of the package and wherein a part of this surface is covered with a release liner which is adhered to the outer surface of the package. Thus, the sheet functions as a part of the surface of the package when not in use, and when used, the sheet is released from the release liner, which is then removed, and the top of the bag is preferably placed at the adhesive area and the sheet is placed at the adhesive area holding and sealing the end of the bag.

[0027] The sealing device of this embodiment securely closes and seals the opening of the package and furthermore, it enables a sealing by bending the top of the package and securing and sealing the same below a flap of an adhesive sheet adhered to the package the sealing device without having to push the catheter into the package which facilitates the sealing and provides a better security against spilling of urine.

[0028] The sheet may be of any suitable material e.g. the ones mentioned above. The adhesive may be any suitable adhesive being compatible with the package material and the sheet material. It is preferred when the adhesive exhibit some moisture absorbing capability in order to ensure a secure sealing even if some drops of urine are spilled when sealing the top of the package after use. An moisture absorbing adhesive may be any such adhesive known per se for wound or ostomy purposes, e.g. containing hydrocolloids.

[0029] A release liner may for instance be siliconized paper.

The package may be made from a water impervious layer or film of any suitable material known per se for use in the preparation of urine collection bags.

[0030] The length of the tubular part may vary according to the specific application. Of course, it should not be so long that it cannot be comprised in the bag. Even at small lengths of the tubular part an effect is obtained.

The tubular part has a length at least corresponding to the narrow upper part of the package.

## DETAILED DESCRIPTION OF DRAWINGS

[0031] Reference is made to Fig. 1. The embodiment of the catheter set of the invention shown in Fig. 1 comprises a catheter 1, a package 2 for collection of urine, a sealing part 3 and a flexible tubular part 4 connected to the catheter 1. The top of the package is easily torn off at 5 being a weak point for breaking the package. Furthermore, the package comprises another weak point 6 designed for opening the package at the distal end, if desired, during use, if the package is to function as guide to e.g. a toilet bowl or after use if it is desired to empty the bag immediately. The package is shown with an ear 7 for an easy handling of the package during and after use. Furthermore, a container 8 is shown comprising a wetting fluid.

[0032] In Fig. 2 the embodiment of Fig. 1 is shown after opening the container and wetting the catheter and tearing off the top of the package and pushing the catheter until the stop engages with the bag ready for insertion. The insertion may, if desired, be performed concomitantly with the pushing out of the catheter.

[0033] Especially in the case where the catheter is of the hydrophilic coated type the catheter can be wetted to activate the hydrophilic coating prior to tearing off the top of the package at the weak point 5 and inserting the catheter into urethra. While accommodated in the elongated part of the package the catheter is thus surrounded by the wetting fluid of the container 8 after breaking off the tip of that container and holding the package so that the elongated part of the package points essentially downwards to ease the transportation of wetting fluid by gravity down into the elongated part of the package.

[0034] When the catheter is in use the urine flows in through the openings in the upper part - the proximal end - of the catheter 1 and enters the inside of the package 2 where it passes through the upper part which is in the form of a narrow portion as compared to the lower part of the package which is formed as a broader collection part. When the urine is passing the upper part of the package 2 it also passes the flexible tubular part 4 which is present inside this part of the package and secured to the catheter 1. The flexible tube 4 provides the package with a certain stiffness which prevents blocking of this part by kinking or squeezing of the relatively soft and pliable package 2. In the figure the flexible tube is shown as a smooth tube but it might as well have a corrugated surface. The most important features for the tube is that it has to be both bendable and in possession of a certain stiffness.

[0035] When the user has finished the use of the catheter he can either throw the used catheter and the filled or urine contaminated package away immediately or he can close the package and transport it to the nearest convenient waste container if there are not any present

at the facility.

[0036] The user might experience a problem trying to close the package of the catheter set according to the invention as it is difficult to force the catheter down into the lower part of the package especially when the user has reduced motility of the hands, and when the catheter is still present in the narrow part of the package it is almost impossible for the user to tie a liquid-tight knot on the narrow part as recommended in the instructions for use of Convene EasiCath Set from Coloplast A/S.

[0037] Reference is made to fig. 3 showing an embodiment of the package of the invention having a sealing device at the exterior side of the package. In order to solve the above problem and render it easier for the user to transport a filled package it is preferred to use a different kind of closing system as e.g. a system where the upper end of the catheter set package is closed with a piece of gummed tape or tied together by extra added parts.

[0038] A very effective sealing device comprises three pieces of film or paper and is illustrated in figures 3 - 5. Figure 4 shows how the three pieces are arranged in connection with each other: an upper piece 11, a middle piece 12 and a lower piece 13. The upper piece is non-adhesive on the outer surface and adhesive on the surface facing the package, one end of this piece is adhered to the package and the other end is adhered to the middle piece 12. The middle piece 12 is non-adhesive on both surfaces and both surfaces are made of a material which makes it possible to release it from adhesive surfaces without spoiling the adhesiveness. The middle piece 12 is preferably considerably larger than the one end of the upper piece 11 it is covering as this makes it easier to grab and remove the middle piece 12 from the package. The middle piece may e.g. be made from siliconised paper. The surface of the middle piece facing 12 away from the upper piece 11 is facing the lower piece 13. The lower piece 13 is adhesive on both surfaces, one surface secure the lower piece 13 to the package and the other surface secure the lower piece 13 to the middle piece 12.

[0039] Before the closing device is used for securing and sealing the proximal end of the catheter set, the three pieces are placed on the front or the backside of the package, they are all three releasably glued together as each of them get contact with at least one adhesive surface. When the user need to close the package he pulls the middle piece 12 and the upper end of the upper piece 11 backwards, by this action the middle piece 12 is released from the lower piece 13 (only the movement of the upper piece 11 is indicated in the figure). After the user has remove the middle piece 12 from the upper piece 11, the user places the open end of the catheter set on the lower piece, this will secure the position of the open end, and then the user covers the open end of the package with the upper piece. The open end of the package is now secured between the upper and the lower piece.

[0040] Figure 5 shows a sectional view of a package with the sealing device in a closed position.

## 5 Claims

1. A catheter set comprising a catheter and a package (2) for storing of the catheter before use and for collecting or discharging urine wherein the package (2) defines an elongated, narrow part forming a tube for accommodation of a proximal part of the catheter (1), and a broader container part, the proximal part of the catheter (1) being adapted to be inserted into the urethra, the catheter further comprising a sealing part (3) for providing a seal between the catheter and the elongated narrow part of the package during use, **CHARACTERISED IN** that the catheter further comprises a distal part in the form of a tubular section (4) having an inner diameter at least as large as the inner diameter of the proximal part of the catheter (1) wherein the sealing part (3) is separating the proximal part of the catheter (1) and the tubular section (4), and wherein the length of the tubular section (4) is at least as long as the length of the elongated, narrow part of the package, whereby in use the tubular section (4) is present in the elongated, narrow part of the package.
2. A catheter set according to claim 1, **CHARACTERISED IN** that the proximal part of the catheter (1) has a hydrophilic coating.
3. A catheter set according to claim 1 or 2, **CHARACTERISED IN** that the set comprises a wetting fluid integrated into the package (2).
4. A catheter set according to any of claims 1 - 3, **CHARACTERISED IN** that the tubular section (4) of the catheter has an inner diameter larger than the inner diameter of the proximal part of the catheter (1).
5. A catheter set according to any of claims 1 - 4, **CHARACTERISED IN** that the tubular section (4) is made from an extrudable, mouldable material such as a polyolefin such as polyethylene (PE) or polypropylene (PP) or a copolymer of polyethylene such as ethylene vinyl acetate (EVA) or polyvinyl chloride (PVC) or polyvinylidene chloride.
6. A catheter set according any of claims 1 - 5, **CHARACTERISED IN** that the tubular section (4) of the catheter is transversely corrugated.
7. A catheter set according to any of claims 1 - 6, **CHARACTERISED IN** that the elongated narrow part is at the end where the catheter exits the package (2) during use.

8. A catheter set according to any of claims 1 - 7, **CHARACTERISED IN** that the package (2) is provided with one or more sealing devices on the exterior side of the package.

9. A catheter set according to claim 8, **CHARACTERISED IN** that the sealing device comprises an adhesive sheet adhered to the package.

#### Patentansprüche

1. Katheter-Set, das einen Katheter und eine Verpackung (2) zur Aufbewahrung des Katheters vor dem Gebrauch und zum Sammeln oder Entleeren von Urin umfasst, wobei die Packung (2) einen länglichen, schmalen Teil, der ein Rohr zur Aufnahme eines proximalen Teils des Katheters (1) bildet, und einen breiten Behälterteil vorgibt, wobei der proximale Teil des Katheters (1) so ausgebildet ist, dass er in die Harnröhre eingeführt werden kann, und wobei der Katheter ferner einen Abdichtungsteil (3) zur Erzielung einer Abdichtung zwischen dem Katheter und dem länglichen, schmalen Teil der Verpackung bei Gebrauch aufweist, **dadurch gekennzeichnet, dass** der Katheter ferner einen distalen Teil in Form eines rohrförmigen Abschnitts (4) aufweist, dessen Innendurchmesser mindestens so groß ist wie der Innendurchmesser des proximalen Teils des Katheters (1), wobei der Abdichtungsteil (3) den proximalen Teil des Katheters (1) vom rohrförmigen Abschnitt (4) trennt und wobei die Länge des rohrförmigen Abschnitts (4) mindestens so lang ist wie die Länge des länglichen, schmalen Teils der Verpackung, wodurch sich bei Gebrauch der rohrförmige Abschnitt (4) im länglichen, schmalen Teil der Verpackung befindet.
2. Katheter-Set nach Anspruch 1, **dadurch gekennzeichnet, dass** der proximale Teil des Katheters (1) eine hydrophile Beschichtung aufweist.
3. Katheter-Set nach Anspruch 1 oder 2, **dadurch gekennzeichnet, dass** es eine in die Verpackung (2) integrierte Befeuchtungsflüssigkeit enthält.
4. Katheter-Set nach einem oder mehreren der Ansprüche 1 bis 3, **dadurch gekennzeichnet, dass** der rohrförmige Abschnitt (4) des Katheters einen Innendurchmesser aufweist, der größer ist als der Innendurchmesser des proximalen Teils des Katheters (1).
5. Katheter-Set nach einem oder mehreren der Ansprüche 1 bis 4, **dadurch gekennzeichnet, dass** der rohrförmige Abschnitt (4) aus einem extrudierbaren, formbaren Material wie etwa einem Polyole-

fin wie Polyethylen (PE) oder Polypropylen (PP) oder einem Copolymer von Polyethylen, wie Ethylen-Vinylacetat(EVA)-Copolymer oder Polyvinylchlorid (PVC) oder Polyvinylidenchlorid besteht.

6. Katheter-Set nach einem oder mehreren der Ansprüche 1 bis 5, **dadurch gekennzeichnet, dass** der rohrförmige Abschnitt (4) des Katheters in Querrichtung gewellt ist.

7. Katheter-Set nach einem oder mehreren der Ansprüche 1 bis 6, **dadurch gekennzeichnet, dass** sich der längliche, schmale Teil bei Gebrauch an dem Ende befindet, wo der Katheter aus der Verpackung (2) herausragt.

8. Katheter-Set nach einem oder mehreren der Ansprüche 1 bis 7, **dadurch gekennzeichnet, dass** die Verpackung (2) auf ihrer Außenseite mit einer oder mehreren Abdichtvorrichtungen versehen ist.

9. Katheter-Set nach Anspruch 8, **dadurch gekennzeichnet, dass** die Abdichtvorrichtung einen an der Verpackung angebrachten Kleberfilm umfasst.

#### Revendications

1. Ensemble à cathéter, comprenant un cathéter et un conditionnement (2) pour stocker le cathéter avant usage et pour collecter ou évacuer l'urine, dans lequel le conditionnement (2) définit une partie étroite et allongée formant un tube pour abriter une partie proximale du cathéter (1) et une partie récipient plus large, la partie proximale du cathéter (1) étant adaptée pour être insérée dans l'urètre, le cathéter comprenant en outre une partie joint (3) pour fournir un joint entre le cathéter et la partie étroite et allongée du conditionnement pendant l'usage, **caractérisé en ce que** le cathéter comprend en outre une partie distale sous la forme d'une section tubulaire (4) ayant un diamètre interne au moins aussi grand que le diamètre interne de la partie proximale du cathéter (1), dans lequel la partie joint (3) sépare la partie proximale du cathéter (1) et la section tubulaire (4), et dans lequel la longueur de la section tubulaire (4) est au moins comparable à celle de la partie étroite et allongée du conditionnement, sachant que, lors de l'usage, la section tubulaire (4) est présente dans la partie étroite et allongée du conditionnement.
2. Ensemble à cathéter selon la revendication 1, **caractérisé en ce que** la partie proximale du cathéter (1) a un revêtement hydrophile.
3. Ensemble à cathéter selon la revendication 1 ou 2,

**caractérisé en ce que**

l'ensemble comprend un fluide agent mouillant intégré dans le conditionnement (2).

4. Ensemble à cathéter selon l'une quelconque des revendications de 1 à 3,  
**caractérisé en ce que**  
la section tubulaire (4) du cathéter a un diamètre interne supérieur au diamètre interne de la partie proximale du cathéter (1). 5  
10
5. Ensemble à cathéter selon l'une quelconque des revendications de 1 à 4,  
**caractérisé en ce que**  
la section tubulaire (4) est faite en un matériau extrudable et pouvant être moulée comme une polyoléfine, comme le polyéthylène (PE) ou le polypropylène (PP), ou un copolymère de polyéthylène, comme l'éthylène vinylacétate (EVA) ou le chlorure de polyvinyle (PVC) ou le chlorure de polyvinylidène. 15  
20
6. Ensemble à cathéter selon l'une quelconque des revendications de 1 à 5,  
**caractérisé en ce que**  
la section tubulaire (4) du cathéter est ondulée transversalement. 25
7. Ensemble à cathéter selon l'une quelconque des revendications de 1 à 6,  
**caractérisé en ce que**  
la partie étroite allongée se situe à l'extrémité de l'emplacement où le cathéter sort du conditionnement (2) au cours de l'utilisation. 30  
35
8. Ensemble à cathéter selon l'une quelconque des revendications de 1 à 7,  
**caractérisé en ce que**  
le conditionnement (2) est muni d'un ou de plusieurs dispositifs d'adhésion sur le côté extérieur du conditionnement. 40
9. Ensemble à cathéter selon la revendication 8,  
**caractérisé en ce que**  
le dispositif d'adhésion comprend une feuille adhésive collée au conditionnement. 45

50

55




Fig. 1






Fig. 2




Fig. 5




Fig. 3




FIG. 4